



物有所值 The best value for money
Catalogue 2016



RIGID BODY TRAILER PARTS

- DOOR PARTS
- CURTAIN SIDER PARTS
- ROOFS / PILLARS / PROFILS
- CHASSIS PRODUCTS
- HANDLE LOCKS
- CARGO CONTROL PARTS
- ACCESSORIES



FLATBED TRAILER PARTS

- CHASSIS PRODUCTS
- HANDLE LOCKS
- CARGO CONTROL PARTS
- ACCESSORIES



DUMP&TIPPER TRAILER PARTS

- DROPSIDE PARTS
- CHASSIS PRODUCTS
- HANDLE LOCKS
- TIPPER ROLLERS
- TIPPER LOCKS



CONTAINER PARTS

- DOOR PARTS
- CONTAINER CORNERS
- CONTAINER ROLLERS
- CONTAINER LOCKS



Materials annually shipped:

- 4000 tons of steel
- 400 tons of stainless steel
- 1000 tons of rubber
- 800 tons of webbing
- 300 tons of aluminum
- 100 tons of PVC

Production processes:

- Routing / Drilling / Cutting
- Stamping / Bending / Die Casting
- Laminating / Extrusion
- Welding ...

Surface treatments:


- Raw with oil protection
- Zinc plated treatment / 48h
- Hot dip galvanised treatment / 500h
- Zink flake coating / 500h
- Black cataphoresis / 400h
- Epoxy / 300h
- Anodisation ...

From component design to delivery to your warehouse:

- Project management - Coaching you through the three steps
- Logistics - Door-to-door solutions; Just-in-time...


High quality standard of automotive manufacturing

- Quality management - Quality inspections, gurdelines & reports...
- Quality control - 100% batch inspection & continuous improve-




DOOR PARTS

- REAR PROFILE
- CURTAIN SLIDING PILLAR
- LOCKING GEAR KIT
- LOCKING GEAR
- BRACE FOR LOCKING GEAR
- SHUTTER DOOR - STANDARD LOCK
- HINGE
- RECESSED LOCK GEAR




REAR PROFILE - 4 HINGES




Reference	Material	Weight
ITBC_72401	Aluminium	6,4 kg

REAR PROFILE - 5 HINGES




Reference	Material	Weight
ITBC_72501	Aluminium	7,5 kg


CURTAIN SLIDING PILLAR




Reference	Material	Weight
ITBC_810201	HLE cataphorisis	23 kg




CURTAIN SLIDING PILLAR




Reference	Material	Weight
ITBC_810202	HLE cataphorisis	24 kg



LOCKING GEAR KIT - Ø26×34mm




Reference	Material	Weight
ITBC_30900	Zinc plated steel	4,9 kg




LOCKING GEAR KIT - Ø15×21mm




Reference	Material	Weight
ITBC_32500	Stainless steel	2,71 kg




LOCKING GEAR KIT - Ø20×27mm



Reference	Material	Weight
ITBC_31700	Stainless steel	4,85 kg
ITBC_31550	Zinc plated steel	4,83 kg
ITBC_31500	Galvanized steel	4,83 kg




LOCKING GEAR KIT - Ø28×34mm




Reference	Material	Weight
ITBC_31200	Galvanized steel	5,67 kg

ITBC




LOCKING GEAR - Ø16mm




Reference	Material	Weight
ITBC_33120	Galvanized steel	2,78 kg
ITBC_33220	Zinc plated steel	2,78 kg

ITBC




LOCKING GEAR - Ø18mm




Reference	Material	Weight
ITBC_33100	Galvanized steel	2,78 kg
ITBC_33200	Zinc plated steel	2,78 kg


ITBC




BRACE FOR LOCKING GEAR Ø18mm




Reference	Material	Weight
ITBC_280942	Stainless steel	0,31 kg




HINGE - 80×40mm




Reference	Material	Weight
ITBC_55020	Aluminium	0,05 kg




HINGE - 180×55mm




Reference	Material	Weight
ITBC_114061	Zinc plated steel	0,41 kg
ITBC_114060	Stainless steel	0,41 kg



HINGE - 130×60mm




Reference	Material	Weight
ITBC_117400	Stainless steel	0,2 kg




HINGE - 193.5×65mm




Reference	Material	Weight
ITBC_117600	Stainless steel	0,2 kg



HINGE - 187×77mm



Reference	Material	Weight
ITBC_117300	Stainless steel	0,37 kg




RECESSED LOCK GEAR - Ø16mm


•Mirror polish surface treatment




Reference	Material	Weight
ITBC_40010	Stainless steel	1.18 kg




SHUTTER DOOR - STANDARD LOCK




Reference	Material	Weight
ITBC_MPFE0040M	Steel	2,58 kg




PIANO HINGE - STAINLESS STEEL




Reference	Size	Material
ITBC_57105	2000*60*2	Stainless steel
ITBC_57107	2000*50*2	Stainless steel
ITBC_57110	3480*32*0.6	Stainless steel



WATERPROOF ROOF FLAP



Reference	Material	Weight
ITBC_270541	PVC	1.18 kg



CHASSIS PARTS

- RUBBER BUFFER

LOCKS

SIDE GUARD LEG

MOUNTING CLAMP


WHEEL CARRIER

LATERAL PROTECTION PROFILE
- MUDGUARD BRACKET

DOOR HOLDBACK

FOLDING STEP

STEP PROFILE




RUBBER BUFFER

•Material : EPDM/Recycle



Reference	Size	Weight
ITBC_204300	358*100*107	3,6 kg
ITBC_204500	245*80*90	1,72 kg
ITBC_204600	210*50*55	0,6 kg
ITBC_204700	195*80*80	1,1 kg




BUFFER WHEEL

•Material : EPDM/Recycle




Reference	Material	Weight
ITBC_715140	Rubber & steel	0,96 kg




ROLLER BUFFER - 4 ROLLS

•Rubber : EPDM/Recycle



Reference	Material	Weight
ITBC_714651	Galvanised steel	11,6 kg




ROLLER BUFFER - 2 ROLLS

•Rubber : EPDM/Recycle




Reference	Material	Weight
ITBC_714751	Galvanised steel	6,03 kg




BUDGET LOCK - 126.6×25.4mm




Reference	Size	Weight
ITBC_29211	Zinc plated steel	0,13 kg(left)
ITBC_29212	Zinc plated steel	0,13 kg(right)
ITBC_29213	Stainless steel	0,13 kg(left)
ITBC_29214	Stainless steel	0,13 kg(right)




SIDE GUARD LEG




Reference	Material	Weight
ITBC_61025	Zinc plated steel	2,6 kg
ITBC_61030	Galvanized steel	2,6 kg



TIPPER SIDE GUARD LEG




Reference	Material	Weight
ITBC_61040	Galvanized steel	7,21 kg




SIDE GUARD LEG

•Material: stainless steel




Reference	Length	Weight
ITBC_28968	647mm	2,31 kg
ITBC_28969	729mm	2,61 kg




LATERAL PROTECTION PROFILE

- Material : Zinc plated steel




Reference	Length	Weight
ITBC_61329	5000	11,57 kg
ITBC_61328	3300	7,13 kg




MOUNTING CLAMP

- Dimension: 10~12mm & 14~16mm




Reference	Material	Weight
ITBC_110 910	Galvanized steel	0,67 kg




LATERAL PROTECTION - END CAP KIT

- **Material: Aluminium & plastic**




Reference	Length	Weight
ITBC_61272	500	2,4 kg
ITBC_61271	103	1,2 kg




LATERAL PROTECTION - END CAP KIT


- **Material: Aluminium & plastic**




Reference	Length	Weight
ITBC_61472	500	2,4 kg
ITBC_61471	100	1,2 kg




WHEEL CARRIER WITH WINCH




Reference	Material	Weight
ITBC_360135	Steel	5,7 kg




ADJUSTABLE MUDGUARD SUPPORT




Reference	Material	Weight
ITBC_61272	Zinc plated steel	0,65 kg



MUDGUARD BRACKET




Reference	Material	Weight
ITBC_23003	Galvanized steel	3,3 kg




DOOR HOLDBACK


•Surface treatment: Mirror polish




Reference	Material	Weight
ITBC_66465	Stainless steel	2,44 kg




DOOR HOLD BACK




Reference	Material	Weight
ITBC_66421	Zinc plated steel	2,5 kg




FOLDING STEP




Reference	Material	Weight
ITBC_112400	Zinc plated steel	1,46 kg



RETRACTABLE FOLDING STEP




Reference	Material	Weight
ITBC_112500	Zinc plated steel	5,5 kg




STEP PROFILE


•Surface treatment: Anodizing



Reference	Material	Weight
ITBC_474656	Aluminium	23,7 kg





RETRACTABLE FOLDING STEP



Reference	Material	Weight
ITBC_3080008	Galvanized steel	16 kg


itbc




CONTAINER & TIPPER PARTS

HINGE
TWISTLOCK
DROPSIDE LOCK
REMOVABLE LOCK


HINGE PIN & HOUSING
CONTAINER CORNER
TIPPER ROLLER




HINGE - 225×130mm




Reference	Material	Weight
ITBC_116600	Steel	3,88 kg




RECESSED DROPSIDE LOCK




Reference	Material	Weight
ITBC_112400	Zinc plated steel	1,46 kg
ITBC_112500	Galvanized steel	1,46 kg




TWISTLOCK




Reference	Material	Weight
ITBC_3050003	Steel	16 kg



REMOVABLE LOCK Ø20mm




Reference	Material	Weight
ITBC_96000	Steel	1,5 kg





HINGE PIN & HOUSING


•Dimension: Ø12-Ø14-Ø15-Ø16-Ø20 mm




Reference	Material	Weight
ITBC_90300	Steel	0,65 kg



CONTAINER CORNER




Reference	Material	Weight
ITBC_112400	Steel	1,46 kg




TIPPER ROLLER

•Material: Steel




Reference	Roller size	Weight
ITBC_98820	Ø160	12,4 kg
ITBC_98810	Ø200	16 kg



CARGO CONTROL


CARGO TRACK
LASHING RING
SHORING POLE
WEBBING STRAP




CARGO TRACK




Reference	Material	Weight
ITBC_324020	Zinc plated steel	3,5 kg




CARGO TRACK




Reference	Material	Weight
ITBC_324010	Zinc plated steel	5,74 kg



CARGO TRACK




Reference	Material	Weight
ITBC_324300	Aluminium	9,3 kg




CARGO TRACK STUD


•Surface treatment: Anodizing




Reference	Material	Weight
ITBC_323100	Aluminium	0,048 kg



CARGO TRACK CAP




Reference	Material	Weight
ITBC_323110	Plastic	0,014 kg




LASHING RING




Reference	Material	Weight
ITBC_143273	Zinc plated steel	0,04 kg




LASHING RING




Reference	Material	Weight
ITBC_765033	Steel	1,18 kg




SHORING POLE




Reference	Material	Weight
ITBC_324080	Zinc plated steel	13.4kg



SHORING POLE




Reference	Material	Weight
ITBC_324080	Zinc plated steel	9,5 kg




WEBBING STRAP

•Capacity: 6000 kg




Reference	Material	Weight
ITBC_146900	Polyester&Steel	2,64 kg




SHORING POLE




Reference	Material	Weight
ITBC_324301	Aluminium	9,3 kg



CARGO TRACK



Reference	Material	Weight
ITBC_324056	Galvanized steel	6,3 kg



DRY POWDER FIRE EXTINGUISHER



Reference	Capacity	Weight
ITBC_362212	2 kg	3.1 kg

- Certification: CE



Reference	Capacity	Weight
ITBC_362216	6 kg	9,4 kg

- Certification: CE

Engineering dpt.
技术部

Best value for money
物有所值

Since 1990 始于1990

International quality std.
国际质量标准

Strong team work
专业的团队

Quality control
质量控制

Customized product
定制化产品



Truck & Trailer parts
卡车配件

售后服务
After-sales service

Professional Chinese supplier
专业的中国供应商

Commercial vehicle industry
商用车行业

ITBC Asia

Bastien Thomasset

Key Account Management

M +86 185 1665 2570

bastien.thomasset@itbc-ltd.com

ITBC Shanghai Ltd.

上海艾堤毕丝汽车配件贸易有限公司

Hui Yang Building, N°55 East Tian Lin Road

Room 1705, Xuhui District

200235 SHANGHAI, CHINA

上海市徐汇区田林东路55号汇阳大厦1705室